X-CITE®
WERBESYSTEME
www.x-cite.com

LEDUP Counter

Revision 15. February 2022

LEDUP Counter

Print Data Specifications

1. PDF/X-1a:2001 Standart (PDF-Version 1.3)
2. Print Data Scale 1:1
3. Total Area (with Bleed)
   LEDUP Counter Front 1000x1000 mm (width x height)
4. No Registration and no crop marks
5. Recommendet resolution at least 72 dpi
6. CMYK-Color, Color-Profile: FOGRA39, No special colors
7. Fonts must be converted into path

File Transfer

- Up to 25 MB by E-Mail to grafik@x-cite.com, please provide your order-number („Vorgangsnummer")
- Up to 2GB ny WeTransfer (https://x-cite.wetransfer.com), please provide your order-number („Vorgangsnummer")
- Up to 2GB by FTP

Reprints

Due to the aging process of existing prints, colors may differ to the reprints. This is technically not avoidable and no reason for complaints.

Revision 15. February 2022

LEDUP Counter

Layout of the front side

1000mm

1000mm

Safe viewable area - 1000x1000 mm (width x height)

Tolerance area, please do not place any critical elements such as any fonts or logos: 20 mm, from all sides

Notice:
This template is not set to scale.

Revision 15. February 2022